

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	837	((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 strip segment linear draw\$5 vector) near5 (compress\$5 reduc\$5 minim\$5)).ab.) and (angle delta direction) and @ad<"19990501" and ((coordinate adj system) quadrant)	US-PGPUB; USPAT	OR	ON	2005/11/16 10:01
L3	139	((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 strip segment linear draw\$5 vector) near5 (compress\$5 reduc\$5 minim\$5)).ab.) and (angle delta direction) and @ad<"20000501" and ((coordinate adj system) quadrant) and ("709" "345").clas.	US-PGPUB; USPAT	OR	ON	2005/11/16 11:03
L4	2	((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 strip segment linear draw\$5 vector) near5 (compress\$5 reduc\$5 minim\$5)).ab.) and (angle delta direction) and @ad<"20000526" and ((coordinate adj system) quadrant) and ("709" "345").clas. not l3	US-PGPUB; USPAT	OR	ON	2005/11/16 10:55
L5	4	((polygon) near5 (compress\$5 reduc\$5 minim\$5)).ab.) and (angle delta direction) and @ad<"20000526" and ((coordinate adj system) quadrant) and ("709" "345").clas. not (l3 l4)	US-PGPUB; USPAT	OR	ON	2005/11/16 10:55

L6	108	((((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 strip segment linear draw\$5 vector) near5 (compress\$5 reduc\$5 minim\$5)).ab.) and ((angle delta direction) near5 (graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 strip segment linear draw\$5 vector)) and @ad<"20000501" and ((coordinate adj system) quadrant) and ("709" "345").clas.	US-PGPUB; USPAT	OR	ON	2005/11/16 11:05
L7	12	((((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 strip segment linear draw\$5 vector) near5 (compress\$5 reduc\$5 minim\$5)).ab.) and ((angle delta direction) near5 (graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 strip segment linear draw\$5 vector)).ab. and @ad<"20000501" and ((coordinate adj system) quadrant) and ("709" "345").clas.	US-PGPUB; USPAT	OR	ON	2005/11/16 11:05
L8	12	((((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 2-d strip segment linear draw\$5 vector) near5 (compress\$5 reduc\$5 minim\$5)).ab.) and ((angle delta direction) near5 (graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 2-d strip segment linear draw\$5 vector)).ab. and @ad<"20000501" and ((coordinate adj system) quadrant) and ("709" "345").clas.	US-PGPUB; USPAT	OR	ON	2005/11/16 11:08

L9	26	(((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 2-d strip segment linear draw\$5 vector) near5 (compress\$5 reduc\$5 minim\$5))) and ((angle delta direction) near5 (graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 2-d strip segment linear draw\$5 vector)) and @ad<"20000501" and ((coordinate adj system) quadrant) and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/11/16 11:09
L10	26	(((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 2-d strip segment linear draw\$5 vector) near5 (compress\$5 reduc\$5 minim\$5))) and ((angle delta direction) near5 (graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 2-d strip segment linear draw\$5 vector)) and @ad<"20000526" and ((coordinate adj system) quadrant) and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/11/16 11:09
L11	30	(((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 2-d strip segment linear draw\$5 vector pixel outline plygon section portion piece) near5 (compress\$5 reduc\$5 minim\$5))) and ((angle delta direction) near5 (graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 2-d strip segment linear draw\$5 vector pixel outline plygon section portion piece)) and @ad<"20000526" and ((coordinate adj system) quadrant) and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/11/16 11:14

L12	234	(((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 2-d strip segment linear draw\$5 vector pixel outline plygon section portion piece) near5 (compress\$5 reduc\$5 minim\$5))) and ((angle delta direction) near5 (graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 2-d strip segment linear draw\$5 vector pixel outline plygon section portion piece)) and @ad<"20000526" and "709".clas. not l11	US-PGPUB; USPAT	OR	ON	2005/11/16 11:14
L13	16	(((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 2-d strip segment linear draw\$5 vector pixel outline plygon section portion piece) near5 (compress\$5 reduc\$5 minim\$5)).ab.) and ((angle delta direction) near5 (graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 2-d strip segment linear draw\$5 vector pixel outline plygon section portion piece)) and @ad<"20000526" and "709".clas. not l11	US-PGPUB; USPAT	OR	ON	2005/11/16 11:15
S16	2	(((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (compress\$5 reduc\$5 minim\$5 condens\$4 decreas\$5 shorten\$4)).ab.) and ((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near9 fuzzy near4 (database key comput\$5 logic index indic\$5)) and @ad<"19990501" and (fuzzy near9 (index key database))	US-PGPUB; USPAT	OR	ON	2004/11/30 17:38

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S19	10	@ad<"19990501" and ((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (index indic\$5 coordinate)) and ((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (client remote mobil\$5)) and (((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (compress\$5 reduc\$5 minim\$5)). ab.) and fuzzy	US-PGPUB; USPAT	OR	ON	2004/11/30 17:55
S20	0	@ad<"19990501" and ((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (index indic\$5 coordinate position location)) and ((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (client remote mobil\$5)) and (((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (compress\$5 reduc\$5 minim\$5)). ab.) and (quantiz\$5 near5 angle)	US-PGPUB; USPAT	OR	ON	2004/11/30 18:10
S21	0	@ad<"19990501" and ((graphic\$5 bitmap glyph\$5 gdi line curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 strip segment element object) near5 (index indic\$5 coordinate position location)) and ((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (client remote mobil\$5)) and (((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (compress\$5 reduc\$5 minim\$5)). ab.) and (quantiz\$5 near5 angle)	US-PGPUB; USPAT	OR	ON	2004/11/30 18:12

S22	7	@ad<"19990501" and (((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (compress\$5 reduc\$5 minim\$5)).ab.) and (quantiz\$5 near5 angle)	US-PGPUB; USPAT	OR	ON	2004/11/30 18:12
-----	---	---	--------------------	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S42	360	@ad<"19990501" and ((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (index indic\$5 coordinate)) and ((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (client remote mobil\$5)) and ((graphic\$5 bitmap glyph\$5 gdi lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (compress\$5 reduc\$5 minim\$5)).ab.	US-PGPUB; USPAT	OR	ON	2005/11/08 16:36
S43	1	@ad<"19990501" and ((2-dimension\$5 two-dimension\$5) near5 (index indic\$5 coordinate)) and ((2-dimension\$5 two-dimension\$5 surface) near5 (client remote mobil\$5)) and ((bitmap lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (compress\$5 reduc\$5 minim\$5 accelerat\$5 render\$5)).ab.	US-PGPUB; USPAT	OR	ON	2005/11/08 16:38
S44	26	@ad<"19990501" and ((2-dimension\$5 two-dimension\$5) near5 (index indic\$5 coordinate)) and ((2-dimension\$5 two-dimension\$5 surface) near5 (client remote mobil\$5)) and ((bitmap lines curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5) near5 (compress\$5 reduc\$5 minim\$5 accelerat\$5 render\$5))	US-PGPUB; USPAT	OR	ON	2005/11/08 16:57
S45	36	@ad<"19990501" and ((2-dimension\$5 two-dimension\$5 ((two "2") adj dimension\$5)) near5 (index indic\$5 coordinate)) and ((2-dimension\$5 two-dimension\$5 surface) near5 (client remote mobil\$5)) and ((bitmap line segment strip curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 ((two "2") adj dimension\$5)) near5 (compress\$5 reduc\$5 minim\$5 accelerat\$5 render\$5))	US-PGPUB; USPAT	OR	ON	2005/11/08 16:59

S46	10	@ad<"19990501" and ((2-dimension\$5 two-dimension\$5 ((two "2") adj dimension\$5)) near5 (index indic\$5 coordinate)) and ((2-dimension\$5 two-dimension\$5 surface) near5 (client remote mobil\$5)) and ((bitmap line segment strip curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 ((two "2") adj dimension\$5)) near5 (compress\$5 reduc\$5 minim\$5 accelerat\$5 render\$5)) not S44	US-PGPUB; USPAT	OR	ON	2005/11/08 17:04
S47	10126	@ad<"19990501" and ((bitmap line segment strip curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 ((two "2") adj dimension\$5)) near5 (compress\$5 reduc\$5 minim\$5 accelerat\$5 render\$5)) not S44 and ("709" "345").clas.	US-PGPUB; USPAT	OR	ON	2005/11/08 17:04
S48	1159	@ad<"19990501" and ((bitmap line segment strip curv\$5 form shape imag\$4 2-dimension\$5 two-dimension\$5 ((two "2") adj dimension\$5)) near5 (compress\$5 reduc\$5 minim\$5 accelerat\$5 render\$5)).ab. not S44 and ("709" "345").clas.	US-PGPUB; USPAT	OR	ON	2005/11/08 17:05
S49	289	@ad<"19990501" and ((line segment strip 2-dimension\$5 two-dimension\$5 ((two "2") adj dimension\$5)) near5 (compress\$5 reduc\$5 minim\$5 accelerat\$5 render\$5)).ab. not S44 and ("709" "345").clas.	US-PGPUB; USPAT	OR	ON	2005/11/08 17:05
S50	41	@ad<"19990501" and ((2-dimension\$5 two-dimension\$5 ((two "2") adj dimension\$5)) near5 (compress\$5 reduc\$5 minim\$5 accelerat\$5 render\$5)). ab. not S44 and ("709" "345"). clas.	US-PGPUB; USPAT	OR	ON	2005/11/08 17:07
S51	7	@ad<"19990501" and ((2-dimension\$5 two-dimension\$5 ((two "2") adj dimension\$5)) near5 (compress\$5 reduc\$5 minim\$5 accelerat\$5 render\$5)). ab. not S44 and ("709" "345"). clas. and compress\$5.ab.	US-PGPUB; USPAT	OR	ON	2005/11/08 17:08